



SEQUENCE LISTING

<110> Venkitaraman, Ashok
Pellegrini, Luca
Blundell, Tom
Yu, David
Bates, Debbie

<120> Polypeptide methods and means

<130> 620-363

<140> 10/531,242

<141> 2005-04-14

<150> PCT/GB03/04485

<151> 2003-10-14

<150> GB 0223860.8

<151> 2002-10-14

<160> 20

<170> PatentIn version 3.1

<210> 1

<211> 28

<212> PRT

<213> Homo sapiens

<400> 1

Leu Leu Gly Phe His Thr Ala Ser Gly Lys Lys Val Lys Ile Ala Lys
1 5 10 15

Glu Ser Leu Asp Lys Val Lys Asn Leu Phe Asp Glu
20 25

<210> 2

<211> 26
<212> PRT
<213> Artificial sequence

<220>
<223> Consensus
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa = Gly or Ser

<220>
<221> MISC_FEATURE
<222> (3, 11, 18, 22)
<223> Xaa = no preference

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa = Thr or Ser

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa = Gly or Ser or Asn

<220>
<221> MISC_FEATURE

<222> (9, 14, 15, 25)

<223> Xaa = hydrophilic

<220>

<221> MISC_FEATURE

<222> (10, 12)

<223> Xaa = hydrophobic

<220>

<221> MISC_FEATURE

<222> (16)..(16)

<223> Xaa = Ser or Ala

<220>

<221> MISC_FEATURE

<222> (20)..(20)

<223> Xaa = Ala or Val or Ser

<220>

<221> MISC_FEATURE

<222> (21)..(21)

<223> Xaa = Lys or Arg

<220>

<221> MISC_FEATURE

<222> (23)..(23)

<223> Xaa = hydrophobic or aromatic

<220>

<221> MISC_FEATURE

<222> (24)..(24)

<223> Xaa = Phe or Leu

<220>
<221> MISC_FEATURE
<222> (26)..(26)
<223> Xaa = Asp or Glu

<400> 2

Xaa Phe Xaa Xaa Ala Ser Xaa Lys Xaa Xaa Xaa Xaa Ser Xaa Xaa Xaa
1 5 10 15

Leu Xaa Lys Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
20 25

<210> 3
<211> 7
<212> PRT
<213> Homo sapiens

<400> 3

Gly Phe Thr Thr Ala Thr Glu
1 5

<210> 4
<211> 7
<212> PRT
<213> Drosophila melanogaster

<400> 4

Gly Phe Leu Ser Ala Arg Thr
1 5

<210> 5
<211> 7

<212> PRT

<213> *Saccharomyces cerevisiae*

<400> 5

Gly Phe Val Thr Ala Ala Asp
1 5

<210> 6

<211> 7

<212> PRT

<213> *Homo sapiens*

<400> 6

Gly Phe Leu Thr Ala Phe Glu
1 5

<210> 7

<211> 7

<212> PRT

<213> *Pyrococcus furiosus*

<400> 7

Thr Phe Met Arg Ala Asp Glu
1 5

<210> 8

<211> 7

<212> PRT

<213> *Escherichia coli*

<400> 8

Ser Ile Met Arg Leu Gly Glu
1 5

<210> 9

<211> 7

<212> PRT

<213> Homo sapiens

<400> 9

Gly Phe His Thr Ala Ser Gly
1 5

<210> 10

<211> 12

<212> PRT

<213> Artificial sequence

<220>

<223> Flexible polypeptide linker

<400> 10

Gly
1 5 10

<210> 11

<211> 12

<212> PRT

<213> Artificial sequence

<220>

<223> Flexible polypeptide linker

<400> 11

Ser Ser Ser Ser Ser Ser Ser Ser Ser Ser

1 5 10

<210> 12
<211> 12
<212> PRT
<213> Artificial sequence

<220>
<223> Flexible polypeptide linker
<400> 12

Gly Ser Gly Ser Gly Ser Gly Ser Gly Ser
1 5 10

<210> 13
<211> 7
<212> PRT
<213> Artificial sequence

<220>
<223> Conserved BRC repeat sequence
<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa = no preference

<400> 13
Gly Phe Xaa Thr Ala Ser Gly
1 5

<210> 14
<211> 14

<212> PRT

<213> Artificial sequence

<220>

<223> Flexible polypeptide linker

<400> 14

Thr Gly Ser Thr Gly Ser Thr Gly Ser Thr Gly Ser Met Gly
1 5 10

<210> 15

<211> 5

<212> PRT

<213> Homo sapiens

<400> 15

Thr Ala Ser Gly Lys
1 5

<210> 16

<211> 7

<212> PRT

<213> Homo sapiens

<400> 16

Phe His Thr Ala Ser Gly Lys
1 5

<210> 17

<211> 8

<212> PRT

<213> Homo sapiens

<400> 17

Gly Glu Phe Arg Thr Gly Lys Thr
1 5

<210> 18

<211> 5

<212> PRT

<213> Homo sapiens

<400> 18

Leu Leu Ile Val Asp
1 5

<210> 19

<211> 28

<212> PRT

<213> BRCA2 BRC sequence

<400> 19

Leu Leu Gly Phe His Thr Ala Ser Gly Lys Lys Val Lys Ile Ala Lys
1 5 10 15

Glu Ser Leu Asp Lys Val Lys Asn Leu Phe Asp Glu
20 25

<210> 20

<211> 7

<212> PRT

<213> BRC repeat sequence

<220>

<221> VARIANT

<222> (1)

<223> Xaa + F or Y

<220>

<221> VARIANT

<222> (2)

<223> Xaa = any amino acid

<220>

<221> VARIANT

<222> (3)

<223> Xaa = T or S

<220>
<221> VARIANT
<222> (5)
<223> Xaa = S or H or G

<220>
<221> VARIANT
<222> (6)
<223> Xaa = G or S or N

<220>
<221> VARIANT
<222> (7)
<223> Xaa = K or R or T

<400> 20
Xaa Xaa Xaa Ala Xaa Xaa Xaa
1 5